

# Complexité avancée - TD 3

Benjamin Bordais

October 07, 2020

## Exercise 1 Space hierarchy theorem

Consider two space-constructible functions  $f$  and  $g$  such that  $f(n) = o(g(n))$ . Prove that  $\text{DSPACE}(f) \subsetneq \text{DSPACE}(g)$ .

*Hint: You may consider a language  $L = \{(M, w') \mid \text{the simulation of } M \text{ on } (M, w') \text{ rejects}\}$  with an appropriate restriction on the simulation of  $M$ .*

### Solution:

First, we have  $\text{DSPACE}(f) \subseteq \text{DSPACE}(g)$  since  $f(n) \leq g(n)$  for a high enough  $n$ . Let us show that this inclusion is strict.

We define the following language:

$$L = \{(M, w') \mid \text{the simulation of } M \text{ on } (M, w') \text{ rejects using space } \leq g(|M, w'|)\}$$

- First, we show that  $L \in \text{SPACE}(g)$ . We describe the steps taken by a Turing machine  $M'$  on an input  $w = M, w'$ .  $M'$  first computes  $g(|w|)$  (which can be done in space  $O(g(|w|))$  since  $g$  is space constructible) and marks down an end of tape marker at position  $g(|w|)$  on the work tape: if more space is used,  $M'$  rejects. Then,  $M'$  simulates  $M$  on  $w$  by rejecting if the number of steps taken is bigger than  $|Q_M| \cdot g(|w|)^{k_M} \cdot |\Gamma_M|^{k_M \cdot g(|w|)}$  (where  $Q_M$  is the set of states,  $\Gamma_M$  is the alphabet and  $k_M$  is the number of working tapes of the Turing machine  $M$ ). Then, if  $w$  is accepted by  $M$ ,  $M'$  rejects, otherwise  $M'$  accepts. Then, this Turing Machine  $M'$  accepts the language  $L$  and runs in space  $O(g(|w|))$ . We conclude by using the speed-up theorem.
- Second, we show that  $L \notin \text{SPACE}(f)$ . Let us assume towards a contradiction that there is a machine  $M'$  recognizing  $L$  in space  $f$ . Simulating  $M'$  on an input  $w$  takes space in  $O(f(|w|)) = c \times f(|w|)$  where the constant  $c$  only depends on the Turing Machine  $M$  (its number of states, size of alphabet, number of work tapes). For a sufficiently long  $w'$ , we have  $c \times f(|M', w'|) \leq g(|M', w'|)$ . Then, if  $(M', w') \in L$ , the simulation of  $M'$ , and therefore  $M'$  rejects  $(M', w')$ . However, since  $M'$  accepts  $L$ ,  $M'$  also accepts  $(M', w')$ . Hence the contradiction. Let us now assume that  $(M', w') \notin L$ . Since the space used by the simulation of  $M'$  is  $c \times f(|M', w'|) \leq g(|M', w'|)$ , we can conclude that  $M'$  accepts  $(M', w')$  by definition of  $L$ . But then, since the language  $L$  is accepted by  $M'$ , we should have  $(M', w') \in L$ . Hence the contradiction. In fact, there is no such Turing Machine  $M'$ .

## Exercise 2 Polylogarithmic space

1. Let  $\text{polyL} = \cup_{k \in \mathbb{N}} \text{SPACE}(\log^k)$ . Show that  $\text{polyL}$  does not have a complete problem for logarithmic space reduction.<sup>1</sup>
2. We recall that  $\text{PSPACE} = \cup_{k \in \mathbb{N}} \text{SPACE}(n^k)$ . Does  $\text{PSPACE}$  have a complete problem for logarithmic space reduction? Why doesn't the proof of the previous question apply to  $\text{PSPACE}$ ?

**Solution:**

1. Assume towards a contradiction that there exists a  $\text{polyL}$ -complete problem  $L$  for logspace reduction. Then, there exists  $k \in \mathbb{N}$  such that  $L \in \text{SPACE}(\log^k)$ . Let us show that  $\text{SPACE}(\log^k) = \text{SPACE}(\log^{k+1})$ , which is a contradiction with the space hierarchy theorem. Let  $L' \in \text{SPACE}(\log^{k+1}) \subseteq \text{polyL}$ . There exists a reduction  $f$  of  $L'$  to  $L$  that can be computed in logarithmic space since  $L$  is  $\text{polyL}$ -complete. Now, consider a Turing machine that, on an input  $w$ , computes  $f(w)$  in logarithmic space and then simulates a Turing machine deciding  $L$  that runs in space  $\log^k$  on  $f(w)$ . Note that here, it is important not store  $f(w)$  on a working tape as this could make the space used exceed the  $\log^k$  space bound. Instead, one must use a virtual tape where we only compute bits of  $f(w)$  when they are needed without remembering the whole computation. Then, note that  $|f(w)| = O(|w|^c)$  for some  $c \geq 0$ . Hence, the space used to check if  $f(w)$  is in  $L$  is lower than  $\log^k(|f(w)|)$  hence is in  $c^k \cdot \log^k(O(|w|)) = O(\log^k(|w|))$ . We conclude with the speed-up theorem to get that  $L' \in \text{SPACE}(\log^k)$ . We get  $\text{SPACE}(\log^k) = \text{SPACE}(\log^{k+1})$  which is in contradiction with the space hierarchy theorem. Hence  $L$  cannot exist.
2.  $\text{PSPACE}$  does have complete problems for logarithmic space reductions (such as  $\text{TQBF}$ ). However, if we try to apply the previous proof to establish that  $\text{SPACE}(n^k) = \text{SPACE}(n^{k+1})$ , a problem arises: since  $|f(w)|$  is in  $O(|w|^c)$ , we have  $|f(w)|^k$  in  $O(|w|^{c \cdot k}) \neq O(|w|^{k+1})$  if  $c > 1$ .

**Exercise 3 Padding argument**

1. Show that if  $\text{DSPACE}(n^c) \subseteq \text{NP}$  for some  $c > 0$ , then  $\text{PSPACE} \subseteq \text{NP}$ .  
*Hint: for  $L \in \text{DSPACE}(n^k)$  one may consider the language  $\tilde{L} = \{(x, 1^{|x|^{k/c}}) \mid x \in L\}$ .*
2. Deduce that  $\text{DSPACE}(n^c) \neq \text{NP}$ .

**Solution:**

1. Assume  $\text{DSPACE}(n^c) \subseteq \text{NP}$  and consider any  $L \in \text{PSPACE}$ : we have to prove  $L \in \text{NP}$ . For some  $k$ , we have  $L \in \text{DSPACE}(n^k)$ . Let  $M$  be a Turing Machine deciding  $L$  in space  $n^k$ . Now, consider the language  $\tilde{L} = \{(x, 1^{|x|^{k/c}}) \mid x \in L\}$  and consider the Turing machine  $\tilde{M}$  that, on an input  $w$ , checks that it has the form  $w = (x, 1^\ell)$ , verifies that  $\ell = |x|^{k/c}$ , and if so launches a simulation of  $M$  on  $x$ . Note that computing  $|x|^{k/c}$  only uses  $k/c$  nested loops going from 1 to  $|x|$ , which can be done in logspace since  $k/c$  is a "constant" that depends on  $M$ , not  $x$ . Then,  $\tilde{M}$  accepts  $\tilde{L}$  and the space used by  $\tilde{M}$  is in  $|x|^k = |1^{\ell}|^c \leq |w|^c$ . Hence,

---

<sup>1</sup>From this, we can deduce that  $\text{polyL} \neq \text{P}$ .

$\tilde{L} \in \text{DSPACE}(n^c) \subseteq \text{NP}$ . Thus  $\tilde{L} \in \text{NP}$ . As we can reduce  $L$  to  $\tilde{L}$  by transforming  $x$  into  $(x, 1^{\lfloor |x|^{k/c} \rfloor})$  in logspace, we do have that  $L \in \text{NP}$ .

2. Assume  $\text{DSPACE}(n^c) = \text{NP}$ , then  $\text{DSPACE}(n^{c+1}) \subseteq \text{PSPACE} = \text{NP} = \text{DSPACE}(n^c)$  which is in contradiction with the space hierarchy theorem.