

# Automates d'arbre

## TD 5 : Alternation and Two-ways

Charlie Jacomme

October 24, 2019

### 1 Alternation

#### Exercise 1 : SUCH AWA

**Definition 1** If  $\mathcal{X}$  is a set of propositional variables, let  $\mathbb{B}(\mathcal{X})$  be the set of positive propositional formulae on  $\mathcal{X}$ , i.e., formulae generated by the grammar  $\phi ::= \perp \mid \top \mid \phi \vee \phi \mid \phi \wedge \phi$ .

**Definition 2** A AWA (Alternating Word Automata) is a tuple  $\mathcal{A} = (Q, \Sigma, Q_0, Q_f, \delta)$  where  $\Sigma$  is a finite set (alphabet),  $Q$  is a finite set (of states),  $Q_0 \subset Q$  (initial states),  $Q_f \subseteq Q$  (final states) and  $\delta$  is a function from  $Q \times \Sigma$  to  $\mathbb{B}(Q)$  (transition function). A run of  $\mathcal{A} = (Q, \Sigma, Q_0, Q_f, \delta)$  on a word  $w$  is a tree  $t$  labelled by  $Q$  such that :

- if  $w = \varepsilon$ , then  $t = q_0$  with  $q_0 \in Q_0$ .
- if  $w = a.w'$ , then  $t = q_0(t_1, \dots, t_n)$   $q_0 \in Q_0$  and such that for all  $i$ ,  $t_i$  is a run of  $w'$  on  $(Q, \Sigma, q_i, Q_f, \delta)$  and  $\{q_1, \dots, q_n\} \models \delta(q_0, a)$ .

**Definition 3** We say that a run is accepting if every leaf of the form  $q$  satisfies that  $q \in Q_f$ .

1. Show how to reduce the emptiness problem for an AWA on a one letter alphabet  $\{a\}$  with formulas that are in positive disjunctive normal form to the emptiness problem of a tree automaton .
2. Show how to reduce the emptiness problem for a tree automaton to the emptiness problem of an AWA on a one letter alphabet  $\{a\}$ . Conclude on the complexity of the emptiness problem for an AWA on a one letter alphabet.

#### Exercise 2 : Membership

1. Recall the complexity of the uniform membership problem for DFTAs and NFTAs.
2. Prove that (**AlternatingUMembership**) :

**Instance** : an AWA  $\mathcal{A}$  and a word  $w$

**Question** :  $w \in L(\mathcal{A})$  ?

is in PTIME.

### Exercise 3 : Two ways

**Definition 4** A two way alternating tree automata  $\mathcal{A}$  is given by a finite set of states  $Q$ , a set of final states  $Q_f$ , and a transition function  $\delta$  which associates to each pair  $(q, f) \in Q \times \mathcal{F}$  a formula in  $\mathbb{B}(Q \times \{-1, 0, \dots, n\})$  where  $n$  is the arity of  $f$ .

A run of  $\mathcal{A}$  on  $t$  is a tree  $\rho$  labelled by  $Q \times \text{Pos}(t)$  such that :

- $\epsilon \in \text{Pos}(\rho)$  and  $\rho(\epsilon) = (q, \epsilon)$
- If  $\omega \in \text{Pos}(\rho)$ ,  $\rho(\omega) = (p, q)$  and  $\delta(q, t(p)) = \phi$ , then there exists  $S = \{(q_1, d_1), \dots, (q_n, d_n)\}$  such that  $S \models \phi$  and for all  $(q_i, d_i) \in S$ ,
  - $\omega \cdot i \in \text{Pos}(\rho)$
  - if  $d_i > 0$  then  $p \cdot d_i \in \text{Pos}(t)$  and  $\rho(\omega \cdot i) = (p \cdot d_i, q_i)$
  - if  $d_i = 0$ , then  $\rho(\omega \cdot i) = (p, q_i)$
  - if  $d_i = -1$ , then  $\rho(\omega \cdot i) = (p', q_i)$  with  $p = p' \cdot i$ .

A run is accepting if the root is labelled with a final state.

Give an example of an automaton according to the previous Definition and one of its accepting runs.

### Exercise 4 : Horn and Two ways

We first recall the notion of two way automaton of TATA.

**Definition 5** A clause  $P(u) \leftarrow P_1(x_1), \dots, P_n(x_n)$  where  $u$  is a linear term and  $x_1, \dots, x_n$  are (not necessarily distinct) variables occurring in  $u$ , is called a push clause. A clause  $P(x) \leftarrow Q(t)$  where  $x$  is a variable and  $t$  is a linear term, is called a pop clause. A clause  $P(x) \leftarrow P_1(x), \dots, P_n(x)$  is called an alternating clause (or an intersection clause).

An alternating two-way tree automaton is a tuple  $(Q, Q_f, \mathcal{F}, C)$  where  $Q$  is a finite set of unary function symbols,  $Q_f$  is a subset of  $Q$  and  $C$  is a finite set of clauses each of which is a push clause, a pop clause or an alternating clause.

Such an automaton accepts a tree  $t$  if  $t$  belongs to the interpretation of some  $P \in Q_f$  in the least Herbrand model of the clauses.

We restrict ourselves to the case where  $\mathcal{F}$  only contains unary symbols and constants, and automaton (according to def 4) have a single accepting state  $q_f$ , and do not have non deterministic or alternating rules : transitions are of the form  $\delta(q, a) = (q', d')$  where  $d' \in \{-1, 1\}$  or  $\delta(q, a) = \top$ .

We consider a translation from automaton to horn clauses such that given  $\mathcal{A}$ , we define  $C_{\mathcal{A}}$  the minimal set with :

- for any  $\delta(q, a) = (q', 1)$ ,  $q'(x) \rightarrow q(a(x)) \in C_{\mathcal{A}}$
- for any  $f \in \mathcal{F}$  and  $\delta(q, a) = (q', -1)$ ,  $q'(f(a(x))) \rightarrow q(a(x)) \in C_{\mathcal{A}}$
- for any  $\delta(q, a) = \top$ ,  $\emptyset \rightarrow q(a) \in C_{\mathcal{A}}$

Notice the difference between  $C_{\mathcal{A}}$ , and the clauses defining a two way alternating automata according to Definition 5. We are going to show that this translation, which is the most natural one, does not define an automaton in the sense of Definition 4, but that it is however incorrect.

1. Given  $\mathcal{A}$  according to Definition 4, provides a two way alternating automata according to Definition 5 which accepts the interpretation of  $q_f$  in the smallest Herbrand model of  $C_{\mathcal{A}}$ .
2. Give an automaton according to Definition 4 which accepts the empty language but such that the interpretation of  $q_f$  in the least Herbrand model of  $C_{\mathcal{A}}$  is non empty.